

Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2013 - December 31, 2013 Filing Confirmation Number: 0006099624

Filing Deadline: January 15, 2014 FRN: 0020964524

Filing Date: 01/14/2014 02:38 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Cintex Wireless, LLC

Brand Names: Cintex Wireless

PO Box:

Street Address: 11426 Rockville Pike, Suite 230

City: Rockville
State: MD
Zip Code: 20852

Contact Name: Robert Felgar

Contact Phone: (301) 363-4306

Contact Fax:

Contact Email: rfelgar@prepaidwirelessgroup.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency

band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.cintexwireless.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Hearing Aid compatible phones are described on the website. Also, constomer service representatives are trained to provide information on such phones.

Methodology for Functionality Levels

Low Tier: Voice centric phones that support messaging. It has small displays.

Mid Tier: Improved features, greater than 1 megapixel, with better resolution with at least QCIF display.

High Tier: Improved camera features, greater than 2 megapixel with better resolution (QVGA or better). Includes a touch screen.

Report Remarks

None.

You have reported the following handset model summary information.

Total number of handsets offered: 9

Air Interface	Fully Hearing Aid Compatible Number Percent		Compatible Only	Non-Compliant Handsets Number Percent		Excluded Handsets Number	Total by Air Interface
CDMA	9	100%					9

Handset 1: LG VX5600

Handset Maker

LG

Handset Model Name FCC ID

VX5600 BEJVX5600

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid Tier

Remarks

Handset 2: Motorola V3m

Handset Maker

Motorola

Handset Model Name FCC ID

V3m IHDT56FT1

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4 T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low Tier

Remarks

Handset 3: Samsung M540

Handset Maker

Samsung

Handset Model Name FCC ID

M540 A3LSPHM540

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid Tier

Remarks

Handset 4: Samsung U360

Handset Maker

Samsung

Handset Model Name FCC ID

U360 A3LSCHU360

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low Tier

Remarks

Handset 5: Samsung U430

Handset Maker

Samsung

Handset Model Name FCC ID

U430 A3LSCHU430

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low Tier

Remarks

Handset 6: Samsung U540

Handset Maker

Samsung

Handset Model Name FCC ID

U540 A3LSCHU540

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid Tier

Remarks

Handset 7: Sanyo 3800

Handset Maker

Sanyo

Handset Model Name FCC ID

3800 AEZSCP-3800

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low Tier

Remarks

Handset 8: Sanyo 3810

Handset Maker

Sanyo

Handset Model Name FCC ID

3810 V65SCP-3810

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Mid Tier

Remarks

Handset 9: Sanyo Pro 200

Handset Maker

Sanyo

Handset Model Name FCC ID

Pro 200 AeZSCP-Pro200

Air Interfaces/Frequency Bands

800 MHz CDMA

Dates

This handset model was offered from: 01/13 to 12/13

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low Tier

Remarks

Certification

This Report has been certified by:

Robert N Felgar General Counsel 01/14/2014 02:38 PM